

**BLOOD AND PLASMA**  
**REPORTABLE BIOLOGICAL PRODUCT DEVIATION CODES**  
*FY-01*

**PD/DS/DD DONOR SUITABILITY**

**PD-\*\*-\*\* POST DONATION INFORMATION**

**PD-10-\*\*-\*\* Miscellaneous**

**PD-10-01 Other**

**PD-11-\*\*-\*\* Testing**

**PD-11-01 Other**

**PD-11-02** Tested positive for Hepatitis B post donation

**PD-11-03** Tested positive for Hepatitis B prior to donation

**PD-11-04** Tested positive for Hepatitis C post donation

**PD-11-05** Tested positive for Hepatitis C prior to donation

**PD-11-06** Tested positive for HIV post donation

**PD-11-07** Tested positive for HIV prior to donation

**PD-11-08** Tested positive for HTLV I/II post donation

**PD-11-09** Tested positive for HTLV I/II prior to donation

**PD-11-10** Tested positive for sexually transmitted disease post donation

**PD-11-11** Tested positive for sexually transmitted disease prior to donation

**PD-12-\*\*-\*\* Behavior/History**

**PD-12-01 Other**

**PD-12-02** History of hepatitis not specified

**PD-12-03** History of jaundice

**PD-12-04** History of Hepatitis B

**PD-12-05** History of Hepatitis C

**PD-12-06** Sexually transmitted disease

**PD-12-07** Sex partner has or had a sexually transmitted disease

**PD-12-08** Sex partner tested positive for HIV

**PD-12-09** Sex partner tested positive for HTLV I/II

**PD-12-10** Sex partner tested positive for HBV

**PD-12-11** Sex partner tested positive for HCV

**PD-12-12** Sex partner tested positive for hepatitis, not specified

**PD-12-13** Sex partner engaged in high risk behavior

**PD-12-14** Male donor had sex with another man

**PD-12-15** Female had sex with a man who had sex with another man

**PD-12-16** IV drug use

**PD-12-17** Sex with IV drug user

**PD-12-18** Non-IV-drug use

**PD-12-19** Sex partner used non-IV drugs

- PD-12-20** Donor lived in or immigrated from an HIV Group O risk area
- PD-12-21** Sex partner lived in or immigrated from an HIV Group O risk area
- PD-12-22** Exchanged sex for drugs or money
- PD-12-23** Sex partner exchanged sex for drugs or money
- PD-12-24** Donor received tattoo within 12 months of donation
- PD-12-25** Donor received ear piercing within 12 months of donation
- PD-12-26** Donor received body piercing within 12 months of donation
- PD-12-27** Donor received accidental needlestick within 12 months of donation
- PD-12-28** Donor received transfusion or clotting factors within 12 months of donation
- PD-12-29** Donor received bone graft or transplant within 12 months of donation
- PD-12-30** Donor was exposed to blood or body fluids
- PD-12-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
- PD-12-32** Non-sexual exposure to HIV
- PD-12-33** Non-sexual exposure to hepatitis, type not specified
- PD-12-34** Non-sexual exposure to Hepatitis B
- PD-12-35** Non-sexual exposure to Hepatitis C
- PD-12-36** Travel to malaria endemic area/history of malaria
- PD-12-37** History of disease
- PD-12-38** History of cancer
- PD-12-39** History of Creutzfeldt-Jakob Disease
- PD-12-40** Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- PD-12-41** Risk factors associated with Creutzfeldt-Jakob Disease - family history
- PD-12-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- PD-12-43** Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- PD-12-44** Received growth hormone
- PD-12-45** Received Proscar, Tegison or Accutane
- PD-12-46** Received medication or antibiotics
- PD-12-47** Received vaccine or immune globulin
- PD-12-48** Exposure to a disease
- PD-12-49** Incarcerated
- PD-12-50** Resided in a rehabilitation center or psychiatric hospital
- PD-12-51** History of Hepatitis A
- PD-12-52** Exposure to Hepatitis A
- PD-12-53** Multiple high risk behaviors/contacts
- PD-13-\*\*** Illness
  - PD-13-01** Post donation illness (not hepatitis, HIV, HTLV-I, STD, or cold/flu related)
  - PD-13-02** Post donation diagnosis or symptoms of Hepatitis B
  - PD-13-03** Post donation diagnosis or symptoms of Hepatitis C
  - PD-13-04** Post donation diagnosis or symptoms of HIV
  - PD-13-05** Post donation diagnosis or symptoms of HTLV I/II
  - PD-13-06** Post donation diagnosis or symptoms of sexually transmitted disease
- PD-14-\*\*** Not specifically related to high risk behavior

**PD-14-01** Other

**PD-14-02** Donor does not want their blood used

**PD-14-03** Donated to be tested or called back for test results

**DS-\*\*-\*\* DONOR SCREENING**

**DS-20-\*\*-\*\*** Miscellaneous

**DS-20-01** Other

**DS-21-\*\*-\*\*** Donor did not meet acceptance criteria

**DS-21-01** Other

**DS-21-02** Hemoglobin or Hematocrit unacceptable or not documented

**DS-21-03** Temperature unacceptable or not documented

**DS-21-04** Medical review or physical not performed or inadequate

**DS-21-05** Platelet count, no documented platelet count for unit

**DS-21-06** Unexplained weight loss

**DS-22-\*\*-\*\*** Donor record incomplete or incorrect

**DS-22-01** Other

**DS-22-02** Donor identification

**DS-22-03** Donor history questions

**DS-22-04** Arm inspection

**DS-23-\*\*-\*\*** Deferral screening not done

**DS-23-01** Donor not previously deferred

**DS-24-\*\*-\*\*** Deferral screening not done, donor previously deferred due to testing:

**DS-24-01** Other

**DS-24-02** HIV reactive

**DS-24-03** HBsAg reactive

**DS-24-04** Anti-HBc reactive

**DS-24-05** Anti-HCV reactive

**DS-24-06** Anti-HTLV-I reactive for

**DS-24-07** ALT elevated

**DS-24-08** Syphilis reactive

**DS-25-\*\*-\*\*** Deferral screening not done, donor previously deferred due to history

**DS-25-01** Other

**DS-25-02** History of hepatitis, not specified

**DS-25-03** History of jaundice

**DS-25-04** History of Hepatitis B

**DS-25-05** History of Hepatitis C

**DS-25-06** Sexually transmitted disease

**DS-25-07** Sex partner has or had a sexually transmitted disease

**DS-25-08** Sex partner tested positive for HIV

**DS-25-09** Sex partner tested positive for HTLV I/II

**DS-25-10** Sex partner tested positive for HBV

**DS-25-11** Sex partner tested positive for HCV

**DS-25-12** Sex partner tested positive for hepatitis, not specified

- DS-25-13** Sex partner engaged in high risk behavior
- DS-25-14** Male donor had sex with another man
- DS-25-15** Female had sex with a man who had sex with another man
- DS-25-16** IV drug use
- DS-25-17** Sex with IV drug user
- DS-25-18** Non-IV-drug use
- DS-25-19** Sex partner used non-IV drugs
- DS-25-20** Donor lived in or immigrated from an HIV Group O risk area
- DS-25-21** Sex partner lived in or immigrated from an HIV Group O risk area
- DS-25-22** Exchanged sex for drugs or money
- DS-25-23** Sex partner exchanged sex for drugs or money
- DS-25-24** Donor received tattoo within 12 months of donation
- DS-25-25** Donor received ear piercing within 12 months of donation
- DS-25-26** Donor received body piercing within 12 months of donation
- DS-25-27** Donor received accidental needlestick within 12 months of donation
- DS-25-28** Donor received transfusion or clotting factors within 12 months of donation
- DS-25-29** Donor received bone graft or transplant within 12 months of donation
- DS-25-30** Donor was exposed to blood or body fluids
- DS-25-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
- DS-25-32** Non-sexual exposure to HIV
- DS-25-33** Non-sexual exposure to hepatitis, type not specified
- DS-25-34** Non-sexual exposure to Hepatitis B
- DS-25-35** Non-sexual exposure to Hepatitis C
- DS-25-36** Travel to malaria endemic area/history of malaria
- DS-25-37** History of disease
- DS-25-38** History of cancer
- DS-25-39** History of Creutzfeldt-Jakob Disease
- DS-25-40** Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DS-25-41** Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-25-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- DS-25-43** Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- DS-25-44** Received growth hormone
- DS-25-45** Received Proscar, Tegison or Accutane
- DS-25-46** Received medication or antibiotics
- DS-25-47** Received vaccine or immune globulin
- DS-25-48** Exposure to a disease
- DS-25-49** Incarcerated
- DS-25-50** Resided in a rehabilitation center or psychiatric hospital
- DS-25-51** History of Hepatitis A
- DS-25-52** Exposure to Hepatitis A
- DS-25-53** Multiple high risk behaviors/contacts
- DS-26-\*\*** Incorrect ID used during deferral search

- DS-26-01** donor not previously deferred
- DS-27-\*\*** Incorrect ID used during deferral search, donor previously deferred due to testing
  - DS-27-01** Other
  - DS-27-02** HIV reactive
  - DS-27-03** HBsAg reactive
  - DS-27-04** Anti-HBc reactive
  - DS-27-05** Anti-HCV reactive
  - DS-27-06** Anti-HTLV-I reactive
  - DS-27-07** ALT elevated
  - DS-27-08** Syphilis reactive
- DS-28-\*\*** Incorrect ID used during deferral search, donor previously deferred due to history
  - DS-28-01** Other
  - DS-28-02** History of hepatitis, not specified
  - DS-28-03** History of jaundice
  - DS-28-04** History of Hepatitis B
  - DS-28-05** History of Hepatitis C
  - DS-28-06** Sexually transmitted disease
  - DS-28-07** Sex partner has or had a sexually transmitted disease
  - DS-28-08** Sex partner tested positive for HIV
  - DS-28-09** Sex partner tested positive for HTLV I/II
  - DS-28-10** Sex partner tested positive for HBV
  - DS-28-11** Sex partner tested positive for HCV
  - DS-28-12** Sex partner tested positive for hepatitis, not specified
  - DS-28-13** Sex partner engaged in high risk behavior
  - DS-28-14** Male donor had sex with another man
  - DS-28-15** Female had sex with a man who had sex with another man
  - DS-28-16** IV drug use
  - DS-28-17** Sex with IV drug user
  - DS-28-18** Non-IV-drug use
  - DS-28-19** Sex partner used non-IV drugs
  - DS-28-20** Donor lived in or immigrated from an HIV Group O risk area
  - DS-28-21** Sex partner lived in or immigrated from an HIV Group O risk area
  - DS-28-22** Exchanged sex for drugs or money
  - DS-28-23** Sex partner exchanged sex for drugs or money
  - DS-28-24** Donor received tattoo within 12 months of donation
  - DS-28-25** Donor received ear piercing within 12 months of donation
  - DS-28-26** Donor received body piercing within 12 months of donation
  - DS-28-27** Donor received accidental needlestick within 12 months of donation
  - DS-28-28** Donor received transfusion or clotting factors within 12 months of donation
  - DS-28-29** Donor received bone graft or transplant within 12 months of donation
  - DS-28-30** Donor was exposed to blood or body fluids
  - DS-28-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
  - DS-28-32** Non-sexual exposure to HIV

- DS-28-33** Non-sexual exposure to hepatitis, type not specified
- DS-28-34** Non-sexual exposure to Hepatitis B
- DS-28-35** Non-sexual exposure to Hepatitis C
- DS-28-36** Travel to malaria endemic area/history of malaria
- DS-28-37** History of disease
- DS-28-38** History of cancer
- DS-28-39** History of Creutzfeldt-Jakob Disease
- DS-28-40** Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DS-28-41** Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-28-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- DS-28-43** Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- DS-28-44** Received growth hormone
- DS-28-45** Received Proscar, Tegison or Accutane
- DS-28-46** Received medication or antibiotics
- DS-28-47** Received vaccine or immune globulin
- DS-28-48** Exposure to a disease
- DS-28-49** Incarcerated
- DS-28-50** Resided in a rehabilitation center or psychiatric hospital
- DS-28-51** History of Hepatitis A
- DS-28-52** Exposure to Hepatitis A
- DS-28-53** Multiple high risk behaviors/contacts
- DS-29-\*** Donor gave history which warranted deferral and was not deferred
  - DS-29-01** Other)
  - DS-29-02** History of hepatitis, not specified
  - DS-29-03** History of jaundice
  - DS-29-04** History of Hepatitis B
  - DS-29-05** History of Hepatitis C
  - DS-29-06** Sexually transmitted disease
  - DS-29-07** Sex partner has or had a sexually transmitted disease
  - DS-29-08** Sex partner tested positive for HIV
  - DS-29-09** Sex partner tested positive for HTLV I/II
  - DS-29-10** Sex partner tested positive for HBV
  - DS-29-11** Sex partner tested positive for HCV
  - DS-29-12** Sex partner tested positive for hepatitis, not specified
  - DS-29-13** Sex partner engaged in high risk behavior
  - DS-29-14** Male donor had sex with another man
  - DS-29-15** Female had sex with a man who had sex with another man
  - DS-29-16** IV drug use
  - DS-29-17** Sex with IV drug user
  - DS-29-18** Non-IV-drug use
  - DS-29-19** Sex partner used non-IV drugs
  - DS-29-20** Donor lived in or immigrated from an HIV Group O risk area

- DS-29-21** Sex partner lived in or immigrated from an HIV Group O risk area
- DS-29-22** Exchanged sex for drugs or money
- DS-29-23** Sex partner exchanged sex for drugs or money
- DS-29-24** Donor received tattoo within 12 months of donation
- DS-29-25** Donor received ear piercing within 12 months of donation
- DS-29-26** Donor received body piercing within 12 months of donation
- DS-29-27** Donor received accidental needlestick within 12 months of donation
- DS-29-28** Donor received transfusion or clotting factors within 12 months of donation
- DS-29-29** Donor received bone graft or transplant within 12 months of donation
- DS-29-30** Donor was exposed to blood or body fluids
- DS-29-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
- DS-29-32** Non-sexual exposure to HIV
- DS-29-33** Non-sexual exposure to hepatitis, type not specified
- DS-29-34** Non-sexual exposure to Hepatitis B
- DS-29-35** Non-sexual exposure to Hepatitis C
- DS-29-36** Travel to malaria endemic area/history of malaria
- DS-29-37** History of disease
- DS-29-38** History of cancer
- DS-29-39** History of Creutzfeldt-Jakob Disease
- DS-29-40** Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DS-29-41** Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-29-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- DS-29-43** Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- DS-29-44** Received growth hormone
- DS-29-45** Received Proscar, Tegison or Accutane
- DS-29-46** Received medication or antibiotics
- DS-29-47** Received vaccine or immune globulin
- DS-29-48** Exposure to a disease
- DS-29-49** Incarcerated
- DS-29-50** Resided in a rehabilitation center or psychiatric hospital
- DS-29-51** History of Hepatitis A
- DS-29-52** Exposure to Hepatitis A
- DS-29-53** Multiple high risk behaviors/contacts

**DD-\*\*-\*\* DONOR DEFERRAL**

**DD-30-\*\* Miscellaneous**

**DD-30-01 Other**

**DD-31-\*\* Donor missing or incorrectly identified on deferral list, donor previously deferred due to testing:**

**DD-31-01 Other**

**DD-31-02 HIV reactive**

**DD-31-03 HBsAg reactive**

- DD-31-04** Anti-HBc reactive
- DD-31-05** Anti-HCV reactive
- DD-31-06** Anti-HTLV-I reactive
- DD-31-07** ALT elevated
- DD-31-08** Syphilis reactive
- DD-32-\*\*** Donor missing or incorrectly identified on deferral list, donor previously deferred due to history
  - DD-32-01** Other
  - DD-32-02** History of hepatitis, not specified
  - DD-32-03** History of jaundice
  - DD-32-04** History of Hepatitis B
  - DD-32-05** History of Hepatitis C
  - DD-32-06** Sexually transmitted disease
  - DD-32-07** Sex partner has or had sexually transmitted disease
  - DD-32-08** Sex partner tested positive for HIV
  - DD-32-09** Sex partner tested positive for HTLV I/II
  - DD-32-10** Sex partner tested positive for HBV
  - DD-32-11** Sex partner tested positive for HCV
  - DD-32-12** Sex partner tested positive for hepatitis, not specified
  - DD-32-13** Sex partner engaged in high risk behavior
  - DD-32-14** Male donor had sex with another man
  - DD-32-15** Female had sex with a man who had sex with another man
  - DD-32-16** IV drug use
  - DD-32-17** Sex with IV drug user
  - DD-32-18** Non-IV-drug use
  - DD-32-19** Sex partner used non-IV drugs
  - DD-32-20** Donor lived in or immigrated from an HIV Group O risk area
  - DD-32-21** Sex partner lived in or immigrated from an HIV Group O risk area
  - DD-32-22** Exchanged sex for drugs or money
  - DD-32-23** Sex partner exchanged sex for drugs or money
  - DD-32-24** Donor received tattoo within 12 months of donation
  - DD-32-25** Donor received ear piercing within 12 months of donation
  - DD-32-26** Donor received body piercing within 12 months of donation
  - DD-32-27** Donor received accidental needlestick within 12 months of donation
  - DD-32-28** Donor received transfusion or clotting factors within 12 months of donation
  - DD-32-29** Donor received bone graft or transplant within 12 months of donation
  - DD-32-30** Donor was exposed to blood or body fluids
  - DD-32-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
  - DD-32-32** Non-sexual exposure to HIV
  - DD-32-33** Non-sexual exposure to hepatitis, type not specified
  - DD-32-34** Non-sexual exposure to Hepatitis B
  - DD-32-35** Non-sexual exposure to Hepatitis C
  - DD-32-36** Travel to malaria endemic area/history of malaria



- DD-32-37** History of disease
- DD-32-38** History of cancer
- DD-32-39** History of Creutzfeldt-Jakob Disease
- DD-32-40** Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DD-32-41** Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DD-32-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- DD-32-43** Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- DD-32-44** Received growth hormone
- DD-32-45** Received Proscar, Tegison or Accutane
- DD-32-46** Received medication or antibiotics
- DD-32-47** Received vaccine or immune globulin
- DD-32-48** Exposure to a disease
- DD-32-49** Incarcerated
- DD-32-50** Resided in a rehabilitation center or psychiatric hospital
- DD-32-51** History of Hepatitis A
- DD-32-52** Exposure to Hepatitis A
- DD-32-53** Multiple high risk behaviors/contacts
- DD-34.\*\*** Donor incorrectly deleted from deferral list or donor not reentered properly, donor previously deferred due to testing:
  - DD-34-01** Other
  - DD-34-02** HIV
  - DD-34-03** HBsAg reactive
  - DD-34-04** Anti-HBc reactive
  - DD-34-05** Anti-HCV reactive
  - DD-34-06** Anti-HTLV-I reactive
  - DD-34-07** ALT elevated
  - DD-34-08** Syphilis reactive
- DD-35.\*\*** Donor incorrectly deleted from deferral list, donor previously deferred due to history:
  - DD-35-01** Other
  - DD-35-02** History of hepatitis, not specified
  - DD-35-03** History of jaundice
  - DD-35-04** History of Hepatitis B
  - DD-35-05** History of Hepatitis C
  - DD-35-06** Sexually transmitted disease
  - DD-35-07** Sex partner has or had a sexually transmitted disease
  - DD-35-08** Sex partner tested positive for HIV
  - DD-35-09** Sex partner tested positive for HTLV I/II
  - DD-35-10** Sex partner tested positive for HBV
  - DD-35-11** Sex partner tested positive for HCV
  - DD-35-12** Sex partner tested positive for hepatitis, not specified
  - DD-35-13** Sex partner engaged in high risk behavior

- DD-35-14** Male donor had sex with another man
- DD-35-15** Female had sex with a man who had sex with another man
- DD-35-16** IV drug use
- DD-35-17** Sex with IV drug user
- DD-35-18** Non-IV-drug use
- DD-35-19** Sex partner used non-IV drugs
- DD-35-20** Donor lived in or immigrated from an HIV Group O risk area
- DD-35-21** Sex partner lived in or immigrated from an HIV Group O risk area
- DD-35-22** Exchanged sex for drugs or money
- DD-35-23** Sex partner exchanged sex for drugs or money
- DD-35-24** Donor received tattoo within 12 months of donation
- DD-35-25** Donor received ear piercing within 12 months of donation
- DD-35-26** Donor received body piercing within 12 months of donation
- DD-35-27** Donor received accidental needlestick within 12 months of donation
- DD-35-28** Donor received transfusion or clotting factors within 12 months of donation
- DD-35-29** Donor received bone graft or transplant within 12 months of donation
- DD-35-30** Donor was exposed to blood or body fluids
- DD-35-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
- DD-35-32** Non-sexual exposure to HIV
- DD-35-33** Non-sexual exposure to hepatitis, type not specified
- DD-35-34** Non-sexual exposure to Hepatitis B
- DD-35-35** Non-sexual exposure to Hepatitis C
- DD-35-36** Travel to malaria endemic area/history of malaria
- DD-35-37** History of disease
- DD-35-38** History of cancer
- DD-35-39** History of Creutzfeldt-Jakob Disease
- DD-35-40** Risk factors associated with Creutzfeldt-Jakob Disease – brain surgery
- DD-35-41** Risk factors associated with Creutzfeldt-Jakob Disease – family history
- DD-35-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- DD-35-43** Risk factors associated with Creutzfeldt-Jakob Disease – received insulin
- DD-35-44** Received growth hormone
- DD-35-45** Received Proscar, Tegison or Accutane
- DD-35-46** Received medication or antibiotics
- DD-35-47** Received vaccine or immune globulin
- DD-35-48** Exposure to a disease
- DD-35-49** Incarcerated
- DD-35-50** Resided in a rehabilitation center or psychiatric hospital
- DD-35-51** History of Hepatitis A
- DD-35-52** Exposure to Hepatitis A
- DD-35-53** Multiple high risk behaviors/contacts

**BC-\*\*-\*\* BLOOD COLLECTION**

**BC-40-\*\* Miscellaneous**

**BC-40-01 Other**

**BC-41-\*\* Sterility compromised**

**BC-41-01 Other**

**BC-41-02 Bacterial contamination (identify organism if possible)**

**BC-41-03 Air contamination**

**BC-41-04 Arm prep not performed or performed inappropriately**

**BC-42-\*\* Collection bag**

**BC-42-01 Other**

**BC-42-02 Blood drawn into outdated bag**

**BC-42-03 Incorrect anticoagulant**

**BC-42-04 Outdated anticoagulant**

**BC-43-\*\* Collection process**

**BC-43-01 Other**

**BC-43-02 Collection time extended, discrepant, or not documented; not discovered prior to component prep**

**BC-43-03 Overbleed; not discovered prior to component prep**

**BC-43-04 Collection status not documented or discrepant**

**BC-44-\*\* Collection device**

**BC-44-01 Other**

**BC-44-02 Device defect**

**BC-44-03 Softgoods defect (bags, tubing, etc)**

**CP-\*\*-\*\* COMPONENT PREPARATION**

**CP-50-\*\* Miscellaneous**

**CP-50-01 Other**

**CP-51-\*\* Sterility compromised**

**CP-51-01 Other**

**CP-51-02 Bacterial contamination (identify organism if possible)**

**CP-51-03 Air contamination**

**CP-52-\*\* Procedure for component preparation not followed**

**CP-52-01 Other**

**CP-52-02 Platelets made from Whole Blood collected from donor who took aspirin**

**CP-52-03 Resting time requirements not met for Platelets**

**CP-52-04 Platelets not agitated**

**CP-52-05 Platelet count or platelet yield not acceptable or platelet count not performed on Platelet product**

**CP-52-06 Processed at incorrect centrifuge setting**

**CP-52-07 Freezing time requirements not met or not documented**

**CP-52-08 Prepared at incorrect temperature or held at incorrect temperature during component prep**

**CP-52-09 Procedure for washing/deglycerolization not followed**

**CP-52-10 Procedure for leukoreduction not followed**

**CP-52-11** Procedure for irradiation not followed

**CP-52-12** Components not prepared within appropriate time frame after collection

**CP-53-\*\*** Component prepared from Whole Blood unit that was

**CP-53-01** Other

**CP-53-02** Overweight

**CP-53-03** Underweight

**CP-53-04** Collected or stored at unacceptable or undocumented temperature

**CP-53-05** A difficult collection or had an extended collection time

**CP-54-\*\*** Component manufactured that was

**CP-54-01** Other

**CP-54-02** Overweight

**CP-54-03** Underweight

## **VT/RT LABORATORY TESTING**

### **VT-\*\*-\*\* VIRAL TESTING**

**VT-70-\*\*** Miscellaneous

**VT-70-01** Other

**VT-71-\*\*** Incorrectly tested for:

**VT-71-01** HBsAg

**VT-71-02** Anti-HIV-1

**VT-71-03** Anti-HIV-2

**VT-71-04** Anti-HIV-1/2

**VT-71-05** HIV Antigen

**VT-71-06** Syphilis

**VT-71-07** Anti-HTLV-I/II

**VT-71-08** Anti-HBc

**VT-71-09** ALT

**VT-71-10** Anti-HCV

**VT-71-11** More than 1 test, e.g., all viral markers

**VT-71-12** Cytomegalovirus

**VT-72-\*\*** Sample identification

**VT-72-01** Other

**VT-72-02** Incorrect sample tested

**VT-72-03** Sample misidentified

### **RT-\*\*-\*\* ROUTINE TESTING (Back to top)**

**RT-60-\*\*** Miscellaneous

**RT-60-01** Other

**RT-61-\*\*** Incorrectly tested for:

**RT-61-01** Other

**RT-61-02** ABO

**RT-61-03** Rh

- RT-61-04** ABO & Rh
- RT-61-05** Antibody screening
- RT-61-06** Antigen typing
- RT-61-07** Platelet count
- RT-61-08** Compatibility
- RT-62-\*\*** Sample identification
  - RT-62-01** Other
  - RT-62-02** Incorrect sample tested
  - RT-62-03** Sample misidentified

**LA-\*\*-\*\* LABELING**

- LA-80-\*\*** Miscellaneous
  - LA-80-01** Other
- LA-81-\*\*** Blood unit labels
  - LA-81-01** Other
  - LA-81-02** ABO and/or Rh incorrect
  - LA-81-03** ABO and/or Rh missing
  - LA-81-04** Product type incorrect
  - LA-81-05** Product type missing
  - LA-81-06** Extended expiration date
  - LA-81-07** Missing expiration date
  - LA-81-08** Anticoagulant incorrect or missing
  - LA-81-09** Donor number incorrect or missing
  - LA-81-10** Multiple labels missing or incorrect
- LA-82-\*\*** Missing or incorrect label or tag
  - LA-82-01** Other
  - LA-82-02** Autologous information
  - LA-82-03** CMV
  - LA-82-04** Antigen
  - LA-82-05** Antibody
  - LA-82-06** Irradiation
  - LA-82-07** Platelet count
  - LA-82-08** Crossmatch
  - LA-82-09** Recipient number or name
  - LA-82-10** Biohazard or test status
  - LA-82-11** Leukoreduced
  - LA-82-12** HLA
  - LA-82-13** Volume or weight
  - LA-82-14** Donor number

**QC-\*\*-\*\* QUALITY CONTROL and DISTRIBUTION**

- QC-90-\*\*** Miscellaneous
  - QC-90-01** Other

**QC-91-\*\* Failure to quarantine unit due to medical history:**

- QC-91-01** Other
- QC-91-02** History of hepatitis, not specified
- QC-91-03** History of jaundice
- QC-91-04** History of Hepatitis B
- QC-91-05** History of Hepatitis C
- QC-91-06** Sexually transmitted disease
- QC-91-07** Sex partner has or had a sexually transmitted disease
- QC-91-08** Sex partner tested positive for HIV
- QC-91-09** Sex partner tested positive for HTLV I/II
- QC-91-10** Sex partner tested positive for HBV
- QC-91-11** Sex partner tested positive for HCV
- QC-91-12** Sex partner tested positive for hepatitis, not specified
- QC-91-13** Sex partner engaged in high risk behavior
- QC-91-14** Male donor had sex with another man
- QC-91-15** Female had sex with a man who had sex with another man
- QC-91-16** IV drug use
- QC-91-17** Sex with IV drug user
- QC-91-18** Non-IV-drug use
- QC-91-19** Sex partner used non-IV drugs
- QC-91-20** Donor lived in or immigrated from an HIV Group O risk area
- QC-91-21** Sex partner lived in or immigrated from an HIV Group O risk area
- QC-91-22** Exchanged sex for drugs or money
- QC-91-23** Sex partner exchanged sex for drugs or money
- QC-91-24** Donor received tattoo within 12 months of donation
- QC-91-25** Donor received ear piercing within 12 months of donation
- QC-91-26** Donor received body piercing within 12 months of donation
- QC-91-27** Donor received accidental needlestick within 12 months of donation
- QC-91-28** Donor received transfusion or clotting factors within 12 months of donation
- QC-91-29** Donor received bone graft or transplant within 12 months of donation
- QC-91-30** Donor was exposed to blood or body fluids
- QC-91-31** Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
- QC-91-32** Non-sexual exposure to HIV
- QC-91-33** Non-sexual exposure to hepatitis, type not specified
- QC-91-34** Non-sexual exposure to Hepatitis B
- QC-91-35** Non-sexual exposure to Hepatitis C
- QC-91-36** Travel to malaria endemic area/history of malaria
- QC-91-37** History of disease
- QC-91-38** History of cancer
- QC-91-39** History of Creutzfeldt-Jakob Disease
- QC-91-40** Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- QC-91-41** Risk factors associated with Creutzfeldt-Jakob Disease - family history

- QC-91-42** Risk factors associated with Creutzfeldt-Jakob Disease (nvCJD) – travel (specify area)
- QC-91-43** Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- QC-91-44** Received growth hormone
- QC-91-45** Received Proscar, Tegison or Accutane
- QC-91-46** Received medication or antibiotics
- QC-91-47** Received vaccine or immune globulin
- QC-91-48** Exposure to a disease
- QC-91-49** Incarcerated
- QC-91-50** Resided in a rehabilitation center or psychiatric hospital
- QC-91-51** History of Hepatitis A
- QC-91-52** Exposure to Hepatitis A
- QC-91-53** Multiple high risk behaviors/contacts
- QC-92-\*\*** Failure to quarantine unit due to incorrect, incomplete, or positive testing for:
  - QC-92-01** Other
  - QC-92-02** HIV
  - QC-92-03** HBsAg
  - QC-92-04** Anti-HBc
  - QC-92-05** Anti-HCV
  - QC-92-06** Anti-HTLV-I
  - QC-92-07** ALT
  - QC-92-08** ABO
  - QC-92-09** Rh
  - QC-92-10** Antibody screen
  - QC-92-11** Antigen screen
  - QC-92-12** Syphilis
- QC-93-\*\*** Failure to quarantine unit due to testing not performed or documented for:
  - QC-93-01** Other
  - QC-93-02** HIV
  - QC-93-03** HBsAg
  - QC-93-04** Anti-HBc
  - QC-93-05** Anti-HCV
  - QC-93-06** Anti-HTLV-I
  - QC-93-07** ALT
  - QC-93-08** ABO
  - QC-93-09** Rh
  - QC-93-10** Antibody screen
  - QC-93-11** Antigen screen
  - QC-93-12** Syphilis
- QC-94-\*\*** Failure to quarantine unit due to:
  - QC-94-01** Other
  - QC-94-02** Outdated product
  - QC-94-03** Autologous unit not meeting homologous criteria

- QC-94-04** Product QC unacceptable or not documented
- QC-94-05** Product specification not met
- QC-94-06** Instrument QC or validation unacceptable or not documented
- QC-94-07** Collection time extended, discrepant or not documented
- QC-94-08** Unit released prior to resolution of discrepancy
- QC-74-09** Associated product contained clots
- QC-94-10** Overweight component
- QC-94-11** Underweight component
- QC-95-\*\*** Unsuitable product
  - QC-95-01** Other
  - QC-95-02** Unit or segments contained clots or would not flow through filter
  - QC-95-03** Unit or segment hemolyzed
- QC-96-\*\*** Shipping and storage
  - QC-96-01** Other
  - QC-96-02** Shipped at incorrect temperature
  - QC-96-03** Stored at incorrect temperature
- QC-97-\*\*** Improper blood bank practices
  - QC-97-01** Other
  - QC-97-02** Product not irradiated as required
  - QC-97-03** Unit issued to wrong patient
  - QC-97-04** Improper product selected for patient
  - QC-97-05** Improper ABO or Rh type selected for patient
  - QC-97-06** Product not leukoreduced as required

**MI-\*\*-\*\* MISCELLANEOUS**

- MI-00-\*\*** Miscellaneous
  - MI-00-01** Other
- MI-01-\*\*** Donor implicated in transfusion associated disease
  - MI-01-01** Other
  - MI-01-02** HIV
  - MI-01-03** Hepatitis
- MI-02-\*\*** Lookback; subsequent unit tested
  - MI-02-01** Other
  - MI-02-02** HIV antibody positive
  - MI-02-03** HBsAg positive
  - MI-02-04** HCV positive
  - MI-02-05** HTLV-I positive
  - MI-02-06** HIV antigen positive